

UNCLASSIFIED

AD NUMBER
AD045457
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; Sep 1952. Other requests shall be referred to Commanding Officer, Chemical Corps, Army Chemical Center, MD.
AUTHORITY
EA D/A ltr, 6 Oct 1972

THIS PAGE IS UNCLASSIFIED

100-2911 (Task 3)
Copy #4

X

SECURITY INFORMATION

This document contains information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C., Sections 793 and 794, the transmission or revelation of its contents in any manner to an unauthorized person is prohibited by law.

Copy No. 4
AD 45457

JK

[REDACTED]

Task 3. [REDACTED] Analogs of Tetrahydrocannabinol
for
Chemical Corps Procurement Agency

Contract No. DA 18-108-CML-4564
Progress Report
from
Inception thru September, 1952

[REDACTED]

UNCLASSIFIED

Regraded
by authority of
[REDACTED]
[REDACTED]
[REDACTED]

Regraded:
Authority: [REDACTED]
[REDACTED]
[REDACTED]

Approved for public release; distribution unlimited.

SHELL DEVELOPMENT COMPANY
EMERYVILLE, CALIFORNIA

ROCKFORD, ARIZONA
CLEARING

S-13386

~~SECRET~~ ~~UNCLASSIFIED~~
~~SECURITY INFORMATION~~

Bi-Monthly Report No. 1

on


TASK 3

for

Chemical Corps Procurement Agency

under

Contract No. DA18-108-CML-4564

Period Covered: Inception through September, 1952

Written by: D. E. Winkler

Participants: R. E. Benson
D. D. Campbell
D. E. Winkler

Approved by: R. R. Whetstone

SHELL DEVELOPMENT COMPANY
EMERYVILLE, CALIFORNIA

Approved for public release; distribution unlimited.

S-13386

~~CANCELLED~~ ~~SECRET~~ ~~UNCLASSIFIED~~

The pertinent literature has been reviewed and synthesis of intermediates is in progress for preparation of tetrahydrocannabinol analogs for trial as agents. In addition to the two most active tetrahydrocannabinols previously prepared by Adams, [J Am Chem Soc, 70, 664 (1948)] synthetic routes to analogs, in which the pyran oxygen is replaced by nitrogen and sulfur, have been formulated.